


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



List Price wef.
27th July 2022



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 27th July 2022

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,050	20
10303	1.00	1,445	20
10304	1.50	2,100	12
10305	2.50	3,350	12
10306	4.00	4,860	8
10307	6.00	7,260	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,035	20
10313	1.00	1,345	20
10314	1.50	1,955	12
10315	2.50	3,120	12
10316	4.00	4,790	8
10317	6.00	7,150	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,630	8
10314	1.50	3,835	6
10315	2.50	6,155	4
10306016	4.00	9,470	4
10307016	6.00	14,145	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	660	30
10314	1.50	960	24
10315	2.50	1,540	24
10316	4.00	2,370	12
10317	6.00	3,535	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 27th July 2022

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR-LSH) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,360	20
10114	1.50	1,975	12
10115	2.50	3,150	12
10106	4.00	4,840	8
10107	6.00	7,225	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,660	8
10114016	1.50	3,875	6
10115016	2.50	6,215	4
10106016	4.00	9,560	4
10107016	6.00	14,285	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	665	30
10114	1.50	970	24
10115	2.50	1,555	24
10106	4.00	2,390	12
10107	6.00	3,570	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 27th July 2022

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,445	20
10404	1.50	2,085	12
10405	2.50	3,380	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	4,990	8
10407	6.00	7,270	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,250	270	8
10404010	1.50	6,175	270	6
10405010	2.50	10,035	270	4
10406016	4.00	9,895	180	4
10407016	6.00	14,430	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14001	0.50	760
14002	0.75	1,090
14003	1.00	1,425

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14104	1.50	2,070
14105	2.50	3,340
14206	4.00	5,130

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	7,665
14208	10	13,445
14209	16	21,215
14210	25	33,155
14211	35	46,240
14212	50	65,540

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	95,350
14514	95*	126,175
14515	120*	161,900
14516	150*	200,570
14517	185*	247,705
14518	240*	325,590

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,305
17002	0.75	3,085
17002	1.00	3,790

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,010
17102	2.50	8,030
17202	4.00	12,430

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,015
17003	0.75	4,095
17003	1.00	5,120

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	6,950
17103	2.50	11,055
17203	4.00	17,395

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	3,775
17004	0.75	5,160
17004	1.00	6,520

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	9,070
17104	2.50	14,530
17204	4.00	22,735

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	5,555
17006	0.75	7,850
17006	1.00	9,780

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	13,605
17106	2.50	21,835
17206	4.00	34,395

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	6,455
17008	0.75	8,935
17008	1.00	11,270

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	15,755
17107	2.50	25,295
17207	4.00	39,575

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,250
17008	0.75	10,060
17008	1.00	12,685

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	17,905
17108	2.50	28,835
17208	4.00	45,095

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	8,725
17010	0.75	12,380
17010	1.00	15,645

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	21,935
17110	2.50	35,400
17210	4.00	55,675

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	10,280
17012	0.75	14,610
17012	1.00	18,520

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	26,015
17112	2.50	42,385
17212	4.00	66,390

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	12,010
17014	0.75	16,870
17014	1.00	21,405

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	30,355
17114	2.50	49,365
17214	4.00	77,040

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	13,565
17016	0.75	19,310
17016	1.00	24,500

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	34,520
17116	2.50	56,130
17216	4.00	88,165

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	15,810
17019	0.75	22,575
17019	1.00	28,925

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	40,730
17119	2.50	65,810
17219	4.00	103,810

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	25,615
17203084	10	43,675
17203094	16*	67,250
17203104	25*	103,705
17203114	35*	145,110


Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	208,480
17503134	70*	292,445
17503144	95*	386,405
17503154	120*	515,930

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	33,425
17204084	10	56,740
17204094	16*	87,160
17204104	25*	136,980
17204114	35*	190,545

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	271,405
17504134	70*	385,455
17504144	95*	511,005
17504154	120*	665,960

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



List Price wef. 27th July 2022



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 27th July 2022

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,570	4,789
RG 6 CU	2,195	6,695
RG 11 CU	4,915	14,991

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,460	4,453
RG 11 CCS	2,920	8,906

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,005	9,165

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,885
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	9,777
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,130
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,607
65916013	RG59 JF X1 +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,620
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,268
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,890
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,730
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,105
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,145



Telephone Cable

List Price wef. 27th July 2022

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	725
31050023	2 pair	1,270
31050033	3 pair	1,870
31050043	4 pair	2,460
31050053	5 pair	3,055

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	5,970
31050203	20 pair	11,375
31050503	50 pair	27,760
31051001	100 pair	54,400

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	510
31040023	2 pair	890
31040033	3 pair	1,310
31040043	4 pair	1,675
31040053	5 pair	2,070

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,170
31040203	20 pair	7,855
31040503	50 pair	18,905
31041001	100 pair	36,370


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	7,850
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	9,760
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	9,760
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	9,760
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	9,760
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,770
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,090
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	4,710
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	13,471




Speaker Cable

List Price wef. 27th July 2022

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,640
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,375
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	2,930
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,280
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	6,615
60329024	Speaker Cable 2.5 SQMM [Transparent]100M	6	100 Mtr	6,860
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	410
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	595
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	735
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,070

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



List Price wef. 27th July 2022



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



List Price wef. 27th July 2022

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7,205
13713051	2.50	11,415
13703061	4.00	16,675
13803071	6.00	24,530
13803081	10.00	42,535
13803091	16.00	65,610

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	102,720
13803111	35.00	141,580
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	7,565
13863059	2.50	11,985

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	17,510

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	25,755
13823089	10.00	44,660
13823099	16.00	68,890

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	107,855
13823119	35.00	148,660

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	14,630
13853089	14	140/.36	24,160
13853099	23	226/.36	37,550

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	54,770
13853119	50	594/.36	75,000

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 27th July 2022

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	450	1000	6
13000602	0.60	450	500	6
13000701	0.70	610	1000	6
13000702	0.70	610	500	6
13000801	0.80	790	1000	6
13000802	0.80	790	500	6
13000901	0.90	985	1000	5
13000902	0.90	985	500	6
13001001	1.00	1,205	1000	5
13001002	1.00	1,205	500	6
13001101	1.10	1,455	1000	4
13001102	1.10	1,455	500	6
13001201	1.20	1,715	1000	4
13001202	1.20	1,715	500	6
13001301	1.30	2,000	1000	3
13001302	1.30	2,000	500	6
13001402	1.40	2,325	500	5
13001502	1.50	2,655	500	5
13001602	1.60	3,015	500	4
13001702	1.70	3,395	500	4
13001802	1.80	3,805	500	4
13001902	1.90	4,230	500	3
13002002	2.00	4,730	500	3
13002102	2.10	5,195	500	3
13002202	2.20	5,695	500	2
13002302	2.30	6,205	500	2
13002402	2.40	6,770	500	2
13002502	2.50	7,335	500	2
13002602	2.60	7,920	500	2
13002702	2.70	8,515	500	2
13002804	2.80*	9,190	250	3
13003004	3.00*	10,515	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 27th July 2022



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



List Price wef. 27th July 2022

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,300	21,215
22210	354/.3	25	8,290	33,155
22211	495/.3	35	11,550	46,240
22212	703/.3	50	16,370	65,540
22513	360/.5	70	23,830	95,350
22514	475/.5 *	95	31,540	126,175
22515	608/.5 *	120	40,505	161,900
22516	750/.5 *	150	50,155	200,570
22517	925/.5 *	185	61,960	247,705
22518	1221/.5 *	240	81,400	325,590

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	845	3,365

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	185	735
2302	24/.21	0.75	280	1,100
2303	32/.21	1.00	370	1,465
2304	30/.26	1.50	540	2,135
2305	50/.26	2.50	885	3,525
2306	56/.31	4.00	1,465	5,845
2307	84/.31	6.00	2,165	8,655

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 27th July 2022




SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,480	STANDARD LENGTH OF 500 MTR
16907011	6	10,370	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com |  /Finolexcables |  /Finolexcables |  /Finolex.Cables



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
| **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
9879555688 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.