

# One Above

Professional Series



# Our Profile

We make light that makes you see, light that makes you look, light that animates the world around you. We develop lighting solutions that enhance people's life, and therefore people's quality of life. We bring our experience in light to the service of architects, interior and lighting designers, realizing what is in their mind, creating a lighting scenography integrated in the architecture. Using the right light in the right way to make architectural concepts stand out.

We offer a broad spectrum of LED spot lights, Down Lights, Panel Lights, Flood lights, Street lights, Outdoor Lights, LED bulbs & tubes and other LED lighting solutions (concealed & surface) for commercial and residential applications. We scour all states of India for best-in-class LED lighting products and distribute them from our headquarters in Mumbai.

## Mission

Our mission is to be the best luminary company, first at a National level and later go on to achieve this at an International level as well. We wish to keep our products as cost effective as possible, so that there comes a time when no Indian lives in a house without lights.

## Vision

We see ourselves, growing at heights that every Indian aspires to achieve. To deliver the best at affordable prices. To work out and reach maximum people possible, so that every Indian's home is lightened with RANGELITE lights.

## Quality

We replicated the first experiment with a group of children with LD, ages n ... In an assessment of holistic quality)



Narrow Spot  
6"  
DDR=0.1

1/10



Spot  
14"  
DDR=0.25

1/4



Flood  
28"  
DDR=0.5

1/2



Wide Flood  
53"  
DDR=1

1




5000K 25 Degree Beam



4000K 36 Degree Beam



3000K 36 Degree Beam



2700K 25 Degree Beam

5000K

4000K

3000K

2700K



CRI >90



CRI >80



CRI >70



# SOLIDS

Protected against a solid object greater than 2.5mm

3

Protected against a solid object greater than 1mm

4

Protected against dust limited ingress but not harmful

5

Dust tight-No ingress of dust-Two to eight hours

6

IP  
65  
DUST WATER

# LIQUIDS

2

Resists splashes

3

Resists light rain

4

Resists heavy rain

5

Resists low pressure jets of water

6

Resists very short periods in water

7<sup>1m</sup>

Resists immersion in water for 30 minutes at 1 metre

8

Resists periods of immersion under water



TONIC ROUND



TONIC SQUARE



MECY



OREO



TINEO

TINEO  
ADJUSTABLE

TINEO TRIMLESS



REUS 9



REUS 15



REUS DOUBLE



AVENTO



ELCHE



EVO



EVO



PIANO S



PIANO D



PIANO T



GATEFE DOUBLE



GATEFE TRIPLE



ROLLY



ROLLY



ROLLY



FUNEN

FUNEN  
ADJUSTABLE

FUNEN

FUNEN  
ADJUSTABLE

ELDA 15



ELDA 20

ELDA  
ADJUSTABLEELDA  
ADJUSTABLEELDA  
ADJUSTABLE

PISA ROUND



PISA OVAL




FERROL 10



FERROL 15



FIREFLY 1



FIREFLY 2



FIREFLY 3



FIREFLY 4

CIRCLE OF LIGHT

Pg. 41-45



COSMOS MOON



FANOR



FANOS



FANO H

LED HANGING LIGHT

Pg. 46-48



FUNES



LORCA

SURFACE SPOT LIGHT

Pg. 49-52



LOOK



PLUTO A



PLUTO B

LED TRACK LIGHT

Pg. 53-58



VIC



VECTOR 20



VECTOR 30



SPACE



ALPHA

24V MAGNETIC TRACK LIGHT

Pg. 59-67



ZUKI - ALCOY



ZUKI - ALCOY SF



ZUKI - CONNECT 1/2



ZUKI - JACA



ZUKI - MAO



ZUKI - CIEZA



ZUKI - LUGO



ZUKI - ALMERIA


# LED SPOT LIGHT





**One Above**  
Professional Series

# TONIC ROUND



Ordering Code : OA74118

Power : 3W

Beam Angle : 8°

Body Color : WH, BK

Color Temp : 3000K, 4000K

Lumen Output : 165lm

Dimension : Ø41x68 (H) mm

Cutout : Ø35 mm

Shape : Round

LED : Cree

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : One Above



**One Above**  
Professional Series

# TONIC SQUARE



Ordering Code : OA74119

Power : 3W

Beam Angle : 8°

Body Color : WH, BK

Color Temp : 3000K, 4000K

Lumen Output : 165lm

Dimension : Ø41x41x68 (H) mm

Cutout : Ø35x35 mm

LED : Cree

CRI : 80

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : One Above





**One Above**  
Professional Series

**MECY**



Ordering Code : OA445

Power : 3W

Beam Angle : 20°

Body Color : WH, BK

Color Temp : 3000K

Lumen Output : 165lm

Dimension : Ø42x42 (H) mm

Cutout : Ø36 mm

LED : Cree

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

**OREO**



Ordering Code : OA136

Power : 5W

Beam Angle : 15°

Body Color : WH, BK

Color Temp : 3000K, 4000K

Lumen Output : 400lm

Dimension : Ø41x52 (H) mm

Cutout : Ø35 mm

Shape : Round

LED : Cree

CRI : 80

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : One Above



**One Above**  
Professional Series

**TINEO**



Ordering Code : OA5300

Power : 9W

Beam Angle : 24°

Body Color : WH, BK

Color Temp : 3000K, 4000K

Lumen Output : 695lm

Dimension : Ø64x60 (H) mm

Cutout : Ø55 mm

Shape : Round

LED : Cree

CRI : 90


Warranty : 3 Yrs

IP Rating : IP32


Control Gear : Osram



**One Above**  
Professional Series



## TINEO ADJUSTABLE



AVAILABLE BODY COLOR



Ordering Code : OA 61784

Power : 8W

Beam Angle : 24°

Body Color : BK+BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 720lm

Dimension : Ø70x54 (H) mm

Cutout : Ø62 mm

Shape : Round

LED : Cree

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram




**One Above**  
Professional Series

# TINEO TRIMLESS



AVAILABLE BODY COLOR



Ordering Code : OA 60165

Power : 8W

Beam Angle : 24°

Body Color : WH+BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 720lm

Dimension : Ø95x58 (H) mm

Cutout : Ø50 mm

Shape : Round

LED : Cree

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram




**One Above**  
Professional Series

**REUS 9**



— AVAILABLE BODY COLOR —



Ordering Code : RL20111

Power : 9W

Beam Angle : 24°

Body Color : WH, BK

Reflector Color : BK, WH, SILVER

Color Temp : 3K/4K/5K/6K

Lumen Output : 990lm

Dimension : Ø74x67 (H) mm

Cutout : Ø66 mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP32


Control Gear : Osram





**One Above**  
Professional Series

**REUS 15**



AVAILABLE BODY COLOR



Ordering Code : OA 20121

Power : 15W

Beam Angle : 38°

Body Color : WH, BK

Reflector Color : BK, WH, SILVER

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension : Ø85x78 (H) mm

Cutout : Ø77 mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs



IP Rating : IP32

Control Gear : Osram



**One Above**  
Professional Series

# REUS DOUBLE



AVAILABLE BODY COLOR



Ordering Code : OA 202121

Power : 2x12W

Beam Angle : 24°

Body Color : WH, BK

Reflector Color : WH, BK, DARK CHR

Color Temp : 3K/4K/5K/6K

Lumen Output : 2640lm

Dimension : Ø153x81x75 (H) mm

Cutout : Ø145x75 mm

Shape : Rectangle

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Orsram



**One Above**  
Professional Series

# AVENTO



Ordering Code : OA74097

Power : 12W

Beam Angle : 24°

Body Color : WH, BK

Color Temp : 3000K, 4000K, 6500K

Lumen Output : 810lm

Dimension : Ø61x90 (H) mm

Cutout : Ø60 mm

Shape : Round

LED : Cree

CRI : 93

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : One Above




**One Above**  
Professional Series

# ELCHE



AVAILABLE BODY COLOR



Ordering Code : OA90112B

Power : 3W

Beam Angle : 15°

Body Color : BK

Color Temp : 3000K

Lumen Output : 219lm

Dimension : Ø52x70 (H) mm

Cutout : Ø42 mm

Shape : Round

LED : Osram

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

**EVO**



Ordering Code : OA90112B

Power : 7W

Beam Angle : 24°

Body Color : WH+BL

Color Temp : 3K/4K/5K/6K

Lumen Output : 770lm

Dimension : Ø82x102 (H) mm

Cutout : Ø75 mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**EVO**



Ordering Code : OA90112B

Power : 15W

Beam Angle : 38°

Body Color : WH+BK, BK+BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension : Ø100x117 (H) mm

Cutout : Ø92mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20



Control Gear : Osram





**One Above**  
Professional Series

**PIANO S**



Ordering Code : OA9453

Power : 15W

Beam Angle : 24°

Body Color : BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension : Ø115x115x56 (H) mm

Cutout : Ø105x105 mm

Shape : Square

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**PIANO D**



Ordering Code : OA9453

Power : 2x15W

Beam Angle : 24°

Body Color : BK, WH

Color Temp : 3K/4K/5K/6K

Lumen Output : 3300lm

Dimension : Ø115x213x56 (H) mm

Cutout : Ø105x200 mm

Shape : Rectangle

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**PIANO T**



Ordering Code : OA9453

Power : 3x15W

Beam Angle : 24°

Body Color : BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 4950lm

Dimension : Ø115x311x56 (H) mm

Cutout : Ø105x300 mm

Shape : Rectangle

LED : Lumileds

CRI : 90


Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Orsam



**One Above**  
Professional Series



## GATEFE DOUBLE



Ordering Code : OA741682

Power : 2x5W

Beam Angle : 35°

Body Color : WH+BK

Color Temp : 3000K, 4000K

Lumen Output : 810lm

Dimension : Ø99x56x45 (H) mm

Cutout : Ø95x50 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90


Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series



## GATEFE TRIPLE



Ordering Code : OA741683

Power : 3x5W

Beam Angle : 35°

Body Color : WH+BK

Color Temp : 3000K, 4000K

Lumen Output : 1178lm

Dimension : Ø145x56x45 (H) mm

Cutout : Ø135x50 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

**ROLLY**



AVAILABLE BODY COLOR



Ordering Code : OA70101

Power : 10W

Beam Angle : 38°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 980lm

Dimension : Ø70x85 (H) mm

Cutout : Ø65mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram





**One Above**  
Professional Series

**ROLLY**



AVAILABLE BODY COLOR



**R RANGE-LITE**<sup>®</sup>  
Original

22



Ordering Code : OA70102

Power : 15W

Beam Angle : 38°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 1500lm

Dimension : Ø85x90 (H) mm

Cutout : Ø70mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram

[www.rangelite.in](http://www.rangelite.in)



**One Above**  
Professional Series

**ROLLY**



AVAILABLE BODY COLOR



Ordering Code : OA70103

Power : 23W

Beam Angle : 38°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 2300lm

Dimension : Ø95x105 (H) mm

Cutout : Ø80mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**FUNEN**



Ordering Code : OA80099

Power : 5W

Beam Angle : 24°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 700lm

Dimension : Ø34x80 (H) mm

Cutout : Ø30mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram



**One Above**  
Professional Series

# FUNEN

## ADJUSTABLE



Ordering Code : OA80099

Power : 5W

Beam Angle : 24°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 700lm

Dimension : Ø34x80 (H) mm

Cutout : Ø30mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**FUNEN**



Ordering Code : OA80110

Power : 10W

Beam Angle : 24°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 1400lm

Dimension : Ø44x90 (H) mm

Cutout : Ø40mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram



**One Above**  
Professional Series

# FUNEN

## ADJUSTABLE



Ordering Code : OAB0110

Power : 10W

Beam Angle : 24°

Body Color : BK+BM, WH+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 1400lm

Dimension : Ø44x90 (H) mm

Cutout : Ø40mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**ELDA 15**



Ordering Code : OA 80101

Power : 15W

Beam Angle : 38°

Body Color : WH, BK

Reflector Color : DARK CHR

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension :  $\varnothing 72 \times 70$  (H) mm

Cutout :  $\varnothing 65$  mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram





**One Above**  
Professional Series

**ELDA 20**



Ordering Code : OA 80102

Power : 20W

Beam Angle : 38°

Body Color : WH, BK

Reflector Color : Titanium Black

Color Temp : 3K/4K/5K/6K

Lumen Output : 2200lm

Dimension : Ø88x70 (H) mm

Cutout : Ø80 mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram



**One Above**  
Professional Series

**ELDA**

ADJUSTABLE



Ordering Code : OA80103

Power : 5W

Beam Angle : 24°

Body Color : WH+BLCH, BK+BLCH

Color Temp : 3K/4K/5K/6K

Lumen Output : 700lm

Dimension : Ø68x68 (H) mm

Cutout : Ø60mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram



**One Above**  
Professional Series

**ELDA**

ADJUSTABLE



Ordering Code : OA80105

Power : 15W

Beam Angle : 38°

Body Color : WH+BM, BK+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension : Ø72x78 (H) mm

Cutout : Ø65mm

Shape : Round

LED : Citizen

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20



Control Gear : Osram



**One Above**  
Professional Series

**ELDA**

ADJUSTABLE



Ordering Code : OAB0106

Power : 20W

Beam Angle : 38°

Body Color : WH+BM, BK+BM

Color Temp : 3K/4K/5K/6K

Lumen Output : 2200lm

Dimension : Ø88x88 (H) mm

Cutout : Ø80mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

## PISA ROUND



Ordering Code : OA8051

Power : 9W

Beam Angle : 24°

Body Color : WH+WH, WH+BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 990lm

Dimension : Ø68x80 (H) mm

Cutout : Ø55 mm

Shape : Round

LED : Lumileds

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

**PISA** OVAL



Ordering Code : OA8052

Power : 9W

Beam Angle : 24°

Body Color : WH+WH, WH+BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 990lm

Dimension : Ø68x80 (H) mm

Cutout : Ø55 mm

Shape : Oval

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Osram




**One Above**  
Professional Series

# FERROL 10



310 x 40



50

323

36



Ordering Code : OA7303810

Power : 10W

Beam Angle : 90°

Body Color : BK

Color Temp : 4000K

Lumen Output : 552lm

Dimension : Ø50x323x36 (H) mm

Cutout : Ø310x40 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Eagle Rise





**One Above**  
Professional Series

# FERROL 15



Ordering Code : OA7303915

Power : 15W

Beam Angle : 90°

Body Color : BK

Color Temp : 4000K

Lumen Output : 552lm

Dimension : Ø50x623x36 (H) mm

Cutout : Ø610x40 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20



Control Gear : Eagle Rise





**One Above**  
Professional Series

# FIREFLY 1



Ordering Code : OA2037

Power : 5W

Beam Angle : 30°

Body Color : WH+BK,BK+BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 400lm

Dimension : Ø52x52x69 (H) mm

Cutout : Ø48x48 mm

Shape : Square

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

## **FIREFLY 2**



Ordering Code : OA2037

Power : 10W

Beam Angle : 30°

Body Color : WH+BK, BK+BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 800lm

Dimension : Ø52x92x69 (H) mm

Cutout : Ø48x88 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

## **FIREFLY 3**



Ordering Code : OA2037

Power : 15W

Beam Angle : 30°

Body Color : WH+BK, BK+BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 1200lm

Dimension : Ø52x132x69 (H) mm

Cutout : Ø48x128 mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : Osram



**One Above**  
Professional Series

# FIREFLY 4



Ordering Code : OA2037

Power : 20W

Beam Angle : 30°

Body Color : WH+BK, BK+BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 1600lm

Dimension : Ø92x92x69 (H) mm

Cutout : Ø88x88 mm

Shape : Square

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Osram

# CIRCLE OF LIGHT









**One Above**  
Professional Series

# COSMOS MOON



Ordering Code : OA74110

Power : 6x3W

Beam Angle : 8°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 630lm

Dimension : Ø500x70 (H) mm

Cutout : Ø530 mm

Shape : Round

LED : Cree

CRI : 80

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Eagle Rise





**One Above**  
Professional Series

## FANOR



Ordering Code : OA74107

Power : 10x3W

Beam Angle : 8°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 1410lm

Dimension : Ø700x70 (H) mm

Cutout : Ø730 mm

Shape : Round

LED : Cree

CRI : 80

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

**FANO S**



Ordering Code : OA74107S

Power : 10x3W

Beam Angle : 8°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 1410lm

Dimension : Ø700x70 (H) mm

Shape : Round

LED : Cree

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

**FANO H**



Ordering Code : OA74107H

Power : 10x3W

Beam Angle : 8°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 1410lm

Dimension : Ø700x70 (H) mm

Shape : Round

LED : Cree


CRI : 80

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Eagle Rise



LED HANGING  
LIGHT





**One Above**  
Professional Series

# FUNES



Ordering Code : OA77048

Power : 5W

Beam Angle : 20°

Body Color : BK+WH

Color Temp : 3000K

Lumen Output : 527lm

Dimension : Ø60x200, 400, 600 (H) mm

Shape : Round

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : One Above



**One Above**  
Professional Series

**LORCA**



Ordering Code : OA77054

Power : 5W

Beam Angle : 20°

Body Color : BK

Color Temp : 3000K

Lumen Output : 495lm

Dimension :  $\text{Ø}130 \times 51$  mm

Shape : Round

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : One Above

# SURFACE SPOT LIGHT








**One Above**  
Professional Series

**LOOK**



Ordering Code : OA78023

Power : 4x2W

Beam Angle : 8°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 460lm

Dimension : Ø60.5x60.5x80 (H) mm

Shape : Square

LED : Cree

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : One Above



**One Above**  
Professional Series

**PLUTO A**



Ordering Code : OA7160A

Power : 15W

Beam Angle : 24°

Body Color : WH, BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 1650lm

Dimension : Ø100x100x100 (H) mm

LED : Lumileds

CRI : 90


Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Osram

  
**One Above**  
Professional Series

**PLUTO B**



Ordering Code : OA7161A

Power : 2x15W

Beam Angle : 24°

Body Color : WH, BK

Color Temp : 3K/4K/5K/6K

Lumen Output : 3300lm

Dimension : Ø100x198x100 (H) mm

Shape : Rectangle

LED : Lumileds

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Osram



# LED TRACK LIGHT





**One Above**  
Professional Series

**VIC**



Ordering Code : OA 50511

Power : 8W

Beam Angle : 24°

Body Color : WH

Color Temp : 3000K, 4000K

Lumen Output : 720lm

Dimension : Ø52x75x184 (H) mm

Shape : Round

LED : Lumens AC led

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20



Control Gear : One Above





**One Above**  
Professional Series

**VECTOR 20**



Ordering Code : OA3047

Power : 20W

Beam Angle : 30°

Body Color : BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 1600lm

Dimension : Ø86x86x186 (H) mm

Shape : Square

LED : Bridgelux

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Eagle Rise



**One Above**  
Professional Series

# VECTOR 30



Ordering Code : OA3047

Power : 30W

Beam Angle : 30°

Body Color : BK

Color Temp : 3000K, 4000K, 5000K

Lumen Output : 2400lm

Dimension : Ø126x86x186 (H) mm

Shape : Rectangle

LED : Bridgelux

CRI : 80

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Osram





**One Above**  
Professional Series

**SPACE**



Ordering Code : OA73022

Power : 12W

Beam Angle : 105°

Body Color : WH

Color Temp : 3000K, 4000K

Lumen Output : 880lm

Dimension : Ø100x113.5 (H) mm

Shape : Round

LED : Osram

CRI : 80

Warranty : 3 Yrs



IP Rating : IP20

Control Gear : One Above



**One Above**  
Professional Series

**ALPHA**



Ordering Code : OA92016

Power : 20W

Beam Angle : 45°

Body Color : WH

Color Temp : 3000K, 4000K

Lumen Output : 1600lm

Dimension :  $\varnothing 71 \times 38 \times 303$  (H) mm

Shape : Rectangle

LED : Bridgelux

CRI : 80

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : One Above



# 24V MAGNETIC TRACK LIGHT


LOW VOLTAGE  
LIGHTING SYSTEMS





**One Above**  
Professional Series

## ZUKI – ALCOY



Ordering Code : OA30345 TRACK RECESSED

24v Mini Magnetic Track Patti

Body Color : BK

Dimension :  $\varnothing 15.3 \times 20 \times 955$  (H) mm

Shape : Rectangle


Warranty : 3 Yrs

IP Rating : IP20



**One Above**  
Professional Series

## ZUKI – ALCOY SF



Ordering Code : OA30346 TRACK SURFACE

24V Mini Magnetic Track Patti

Body Color : BK

Dimension :  $\varnothing 15.3 \times 14.8 \times 955$  (H) mm

Shape : Rectangle


Warranty : 3 Yrs

IP Rating : IP20



**One Above**  
Professional Series

## ZUKI – CONNECT 1 DOOR SENSOR



Ordering Code : RL30346-1


Body Color : BK

Shape : Rectangle

Warranty : 3 Yrs

IP Rating : IP20

## ZUKI – CONNECT 2 HAND MOVING SENSOR



Ordering Code : RL30345-1

Body Color : BK

Shape : Rectangle


Warranty : 3 Yrs

IP Rating : IP20



**One Above**  
Professional Series

**ZUKI** - JACA



Ordering Code : OA76007

Power : 3W

Beam Angle : 15°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 92lm

Dimension : Ø25.5x41.3 (H) mm

Shape : Round

LED : Osram

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20


Control Gear : Meanwell





**One Above**  
Professional Series

**ZUKI – MAO**



Ordering Code : OA760011

Power : 3W

Beam Angle : 15°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 92lm

Dimension : Ø27x47x200 (H) mm

Shape : Round

LED : Osram

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Meanwell



**One Above**  
Professional Series

## ZUKI – CIEZA



Ordering Code : OA76008

Power : 6W

Beam Angle : 90°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 250lm

Dimension : Ø249x10x20.5 (H) mm

Shape : Rectangle

LED : Osram

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Meanwell



**One Above**  
Professional Series

## ZUKI – LUGO



Ordering Code : OA76009

Power : 5W

Beam Angle : 120°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 136lm

Dimension : Ø249x10x12 (H) mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs


IP Rating : IP20

Control Gear : Meanwell



**One Above**  
Professional Series

## ZUKI – ALMERIA



Ordering Code : OA76010

Power : 5W

Beam Angle : 120°

Body Color : BK

Color Temp : 3000K, 4000K

Lumen Output : 267lm

Dimension : Ø249x10x20.5 (H) mm

Shape : Rectangle

LED : Bridgelux

CRI : 90

Warranty : 3 Yrs

IP Rating : IP20

Control Gear : Meanwell





# One Above

Professional Series

Follow us  
 [rangelite18](#)  [range\\_lite](#)



 **RANGE-LITE**<sup>®</sup>  
Original

[www.rangelite.in](http://www.rangelite.in)