

**CATALOGUE**  
**2 0 2 1**





**ARCHITECTURAL**



**COMMERCIAL**



**RETAIL**



**INDUSTRIAL**




**HOSPITALITY**



**RESIDENTIAL**



# INDOOR



## LED SPOT LIGHT



### RL015

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø40X27(H)MM  
**CUTOUT SIZE:** Ø35MM  
**BEAM ANGLE:** 15°  
**LUMENS OUTPUT:** 200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



### RL018

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø60X35(H)MM  
**CUTOUT SIZE:** Ø55MM  
**BEAM ANGLE:** 3°  
**LUMENS OUTPUT:** 200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



### RL019

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø60x35(H)mm  
**CUTOUT SIZE:** Ø55MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



### RL236R

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K  
**DIMENSION:** Ø50x37(H)mm  
**CUTOUT SIZE:** Ø45MM  
**BEAM ANGLE:** 35°  
**LUMENS OUTPUT:** 215lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



### RL236S

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K  
**DIMENSION:** Ø50X50x37(H)MM  
**CUTOUT SIZE:** Ø44MM  
**BEAM ANGLE:** 35°  
**LUMENS OUTPUT:** 215lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



### RL21601

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K  
**DIMENSION:** Ø58X48(H)MM  
**CUTOUT SIZE:** Ø50MM  
**BEAM ANGLE:** 20-60°  
**LUMENS OUTPUT:** 200lm  
**IP RATING:** IP32  
**BODY COLOR:** WH, BK



### RL8810S

**SPOT LIGHT:** 3W  
**LED:** SHARP  
**LED COLOR:** 3K  
**DIMENSION:** Ø38x38x26(H)MM  
**CUTOUT SIZE:** Ø30MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



### RL9110S

**SPOT LIGHT:** 3W  
**LED:** SHARP  
**LED COLOR:** 3K  
**DIMENSION:** Ø35x35x26(H)MM  
**CUTOUT SIZE:** Ø30x30MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL340**

**SPOT LIGHT:** 8W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø66X60(H)MM  
**CUTOUT SIZE:** Ø60MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 760lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK, BK+BK



**RL340**

**SPOT LIGHT:** 15W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø83X72(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK, BK+BK



**RL340**

**SPOT LIGHT:** 25W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø107X87(H)MM  
**CUTOUT SIZE:** Ø95MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2375lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK, BK+BK



**RL007**

**SPOT LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø50x60(H)mm  
**CUTOUT SIZE:** Ø42MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL007**

**SPOT LIGHT:** 16W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø70X72(H)MM  
**CUTOUT SIZE:** Ø62MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1440lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL007**

**SPOT LIGHT:** 24W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø85x80(H)MM  
**CUTOUT SIZE:** Ø77MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2160lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1321**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø77X50(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL775**

**SPOT LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø65x60(H)MM  
**CUTOUT SIZE:** Ø55MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 680lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL775**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø75X70(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL775**

**SPOT LIGHT:** 20W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100X80(H)MM  
**CUTOUT SIZE:** Ø90MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1700lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL775**

**SPOT LIGHT:** 35W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø125X95(H)MM  
**CUTOUT SIZE:** Ø115MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2975lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL315**

**SPOT LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø63X73(H)MM  
**CUTOUT SIZE:** Ø55MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 760lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BM, BK+BM



**RL315**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø83X95(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BM, BK+BM



**RL315**

**SPOT LIGHT:** 20W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø83x95(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1900lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BM, BK+BM



**RL415**

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø50X48(H)MM  
**CUTOUT SIZE:** Ø45MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 180lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL415**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø75X70(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 855lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, WH+COP



**RL415**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø83x75(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1140lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, WH+COP



**RL415**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø83X75(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, WH+COP



**RL415**

**SPOT LIGHT:** 18W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø115X115(H)MM  
**CUTOUT SIZE:** Ø100MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1710lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, WH+COP / CHR



**RL417**

**SPOT LIGHT:** 12W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø84X85(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1140lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL417**

**SPOT LIGHT:** 15W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø84x85(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL418**

**SPOT LIGHT:** 9W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø72x75(H)MM  
**CUTOUT SIZE:** Ø66MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 855lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL418**

**SPOT LIGHT:** 12W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø72x75(H)MM  
**CUTOUT SIZE:** Ø66MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1140lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL418**

**SPOT LIGHT:** 15W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø72X75(H)MM  
**CUTOUT SIZE:** Ø66MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL419**

**SPOT LIGHT:** 9W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø70x65(H)MM  
**CUTOUT SIZE:** Ø60MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 855lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL419**

**SPOT LIGHT:** 12W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø85x75(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1140lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL419**

**SPOT LIGHT:** 15W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø85x75(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL419**

**SPOT LIGHT:** 20W  
**LED:** LUMILEDS  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø95x100(H)MM  
**CUTOUT SIZE:** Ø86MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1900lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL80214**

**SPOT LIGHT:** 7W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø80x71(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 595lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL80214**

**SPOT LIGHT:** 12W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø100x74(H)MM  
**CUTOUT SIZE:** Ø88MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL80214**

**SPOT LIGHT:** 18W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø122x85(H)MM  
**CUTOUT SIZE:** Ø110MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1530lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL103**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø110x95(H)MM  
**CUTOUT SIZE:** Ø95MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9071**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82x56(H)MM  
**CUTOUT SIZE:** Ø72MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9070**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82x65(H)MM  
**CUTOUT SIZE:** Ø72MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL956**

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø50x66(H)MM  
**CUTOUT SIZE:** Ø45MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL956**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø70x88(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 735lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK





**RL956**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø86X112(H)MM  
**CUTOUT SIZE:** Ø80MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1225lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL439**

**SPOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø46X60(H)MM  
**CUTOUT SIZE:** Ø38MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL439**

**SPOT LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø40X55(H)MM  
**CUTOUT SIZE:** Ø35MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL439**

**SPOT LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø64X70(H)MM  
**CUTOUT SIZE:** Ø57MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL439**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø64X85(H)MM  
**CUTOUT SIZE:** Ø57MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 900lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL439**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø64X100(H)MM  
**CUTOUT SIZE:** Ø57MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL8805**

**SPOT LIGHT:** 11W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø72X87(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 825lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL8805**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø72X97(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1125lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL8805**

**SPOT LIGHT:** 11W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø72X72X87(H)MM  
**CUTOUT SIZE:** Ø65X65MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 825lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL8805**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø72X72X97(H)MM  
**CUTOUT SIZE:** Ø65X65MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1125lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL9350**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø80X80X85(H)MM  
**CUTOUT SIZE:** Ø75X75MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL9350**

**SPOT LIGHT:** 2X15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø183X95X85(H)MM  
**CUTOUT SIZE:** Ø170X82MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2550lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL9372**

**SPOT LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø88x88.5(H)MM  
**CUTOUT SIZE:** Ø82MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9373**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø103X112(H)MM  
**CUTOUT SIZE:** Ø97MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9375**

**SPOT LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100X100X88(H)MM  
**CUTOUT SIZE:** Ø82MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9375**

**SPOT LIGHT:** 2X10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100x195x88(H)MM  
**CUTOUT SIZE:** Ø80x175MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9376**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø115X115X112(H)MM  
**CUTOUT SIZE:** Ø97MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9376**

**SPOT LIGHT:** 2X15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø115X225X112(H)MM  
**CUTOUT SIZE:** Ø95X205MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL1041**

**SPOT LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø55X92(H)MM  
**CUTOUT SIZE:** Ø40MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1042**

**SPOT LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø76X99(H)MM  
**CUTOUT SIZE:** Ø70MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1043**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø92X117(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1270lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1044**

**SPOT LIGHT:** 25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø128X128(H)MM  
**CUTOUT SIZE:** Ø122MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL90165**

**SPOT LIGHT:** 15W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø105X140(H)MM  
**CUTOUT SIZE:** Ø100MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1650lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, GD



**RL1071**

**SPOT LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø57X78(H)MM  
**CUTOUT SIZE:** Ø50MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 560lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK





**RL1071**

**SPOT LIGHT:** 14W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø70x95(H)MM  
**CUTOUT SIZE:** Ø62MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 980lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1071**

**SPOT LIGHT:** 21W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø84X125(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1470lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL90189**

**SPOT LIGHT:** 3W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø64X25(H)MM  
**CUTOUT SIZE:** Ø55MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 255lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL90189**

**SPOT LIGHT:** 7W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø85X33(H)MM  
**CUTOUT SIZE:** Ø70MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 595lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL90189**

**SPOT LIGHT:** 12W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø107X38(H)MM  
**CUTOUT SIZE:** Ø92MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL90189**

**SPOT LIGHT:** 18W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø128X39(H)MM  
**CUTOUT SIZE:** Ø116MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1530lm  
**IP RATING:** IP20  
**BODY COLOR:** WH




**RL1122**

**SPOT LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø72X68(H)MM  
**CUTOUT SIZE:** Ø65MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL1122**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82X88(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL9409**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø83X73(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 525lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL438**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100X79(H)MM  
**CUTOUT SIZE:** Ø73MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL441**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø125X72(H)MM  
**CUTOUT SIZE:** Ø118MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL5033**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø91X85(H)MM  
**CUTOUT SIZE:** Ø82MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL5033-16**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø91x160(H)MM  
**CUTOUT SIZE:** Ø82MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL22311**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø90x250(H)MM  
**CUTOUT SIZE:** Ø83MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL9356**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø50x115(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 675lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL2011**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø65x85(H)MM  
**CUTOUT SIZE:** Ø60MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1080lm  
**IP RATING:** IP20  
**BODY COLOR:** WH,GD,SIL,CHR,WH+BK



**RL1221**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø95x60-80(H)MM  
**CUTOUT SIZE:** Ø88MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH,BL,WH+BK,BK+WH



**RL182**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø82x88(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL182**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82x92.4(H)MM  
**CUTOUT SIZE:** Ø76MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL312S**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø91x91x100(H)MM  
**CUTOUT SIZE:** Ø86x86MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL312S**

**SPOT LIGHT:** 2X12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø91x172x100(H)MM  
**CUTOUT SIZE:** Ø86x166MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 2040lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL90512B**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø116x116x117(H)MM  
**CUTOUT SIZE:** Ø100x100MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK, BK+GD, WH+GD



**RL90624B**

**SPOT LIGHT:** 2X15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø116x208x117(H)MM  
**CUTOUT SIZE:** Ø100x190MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BL, BL+GD, WH+GD



**RL92225**

**SPOT LIGHT:** 25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø152x152x136(H)MM  
**CUTOUT SIZE:** Ø142x142MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 2000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL92350**

**SPOT LIGHT:** 2X25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø272X152X136(H)MM  
**CUTOUT SIZE:** Ø262X142MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 4000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL1250**

**SPOT LIGHT:** 2X25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø257X136X142(H)MM  
**CUTOUT SIZE:** Ø245X125MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 4000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL1350**

**SPOT LIGHT:** 2X25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø245X135X125(H)MM  
**CUTOUT SIZE:** Ø237X127MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 4000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL3112**

**SPOT LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82X75(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 15°/24°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL3112**

**SPOT LIGHT:** 13W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82X112(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1040lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL10021R**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø78x90(H)MM  
**CUTOUT SIZE:** Ø70MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL10021S**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø80x80x90(H)MM  
**CUTOUT SIZE:** Ø70x70MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL10021S**

**SPOT LIGHT:** 2X9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø148x80x90(H)MM  
**CUTOUT SIZE:** Ø140x70MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 1440lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK




**RL8231**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø105x75(H)MM  
**CUTOUT SIZE:** Ø98MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL8241**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø120x80(H)MM  
**CUTOUT SIZE:** Ø105MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH







**TRIMLESS SPOT & DOWN LIGHT**



**RL292**

**SPOT LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K / CCT  
**DIMENSION:** Ø82x100(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL292**

**SPOT LIGHT:** 15W  
**LED:** EDISON  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82x100(H)mm  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL292**

**SPOT LIGHT:** 20W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø98x128.5(H)MM  
**CUTOUT SIZE:** Ø100MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL90913**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100x107(H)MM  
**CUTOUT SIZE:** Ø130MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL212**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø92x92x117(H)MM  
**CUTOUT SIZE:** Ø115x115MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH




**RL61512**

**SPOT LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø92x92x117(H)MM  
**CUTOUT SIZE:** Ø115x115MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** BK



**RL0312T**

**SPOT LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø107x91(H)MM  
**CUTOUT SIZE:** Ø110MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL3504**

**TRIMLESS SPOT LIGHT**  
**LAMP SOURCE:** MR16 MODULE  
**DIMENSION:** Ø103x103x130(H)MM  
**CUTOUT SIZE:** Ø106x106MM  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL5008**

**LASER BLADE:** 5X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø32X136X55(H)MM  
**CUTOUT SIZE:** Ø35X139MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 750lm  
**IP RATING:** IP20  
**BODY COLOR:** BK



**RL5008**

**LASER BLADE:** 10X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø32X268.5X55(H)MM  
**CUTOUT SIZE:** Ø35X271.5MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** BK



**RL5008**

**LASER BLADE:** 15X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø32X401X55(H)MM  
**CUTOUT SIZE:** Ø35X404MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 2250lm  
**IP RATING:** IP20  
**BODY COLOR:** BK



**LASER BLADE  
SPOT LIGHT**



**RL4125**

**LASER BLADE:** 5W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K  
**DIMENSION:** Ø55X55X55(H)MM  
**CUTOUT SIZE:** Ø50X50MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 367lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4125**

**LASER BLADE:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø60X137X55(H)mm  
**CUTOUT SIZE:** Ø50X128MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 1252lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4125**

**LASER BLADE:** 24W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø60X212X55(H)MM  
**CUTOUT SIZE:** Ø50X205MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 2145lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL 4125**

**LASER BLADE:** 20W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K  
**DIMENSION:** Ø95X95X55(H)MM  
**CUTOUT SIZE:** Ø85X85MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 1590lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4125**

**LASER BLADE:** 36W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K  
**DIMENSION:** Ø135X135X55(H)MM  
**CUTOUT SIZE:** Ø125X125MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 2436lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL0928**

**LASER BLADE:** 7X4W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø149X42X66(H)MM  
**CUTOUT SIZE:** Ø142X35MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1012lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1103**

**LASER BLADE:** 1X3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø44X44X40(H)MM  
**CUTOUT SIZE:** Ø37X37MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 240lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1104**

**LASER BLADE:** 2X3W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø75X44X42(H)MM  
**CUTOUT SIZE:** Ø67X37MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1105**

**LASER BLADE:** 5X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø145X50X45(H)MM  
**CUTOUT SIZE:** Ø136X35MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 585lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1106**

**LASER BLADE:** 10X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø280x50x45(H)MM  
**CUTOUT SIZE:** Ø271x35MM  
**BEAM ANGLE:** 45°  
**LUMENS OUTPUT:** 1249lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1107**

**LASER BLADE:** 15X2W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø45X412X38(H)MM  
**CUTOUT SIZE:** Ø37X404MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 2250lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK




**RL 1406**

**LASER BLADE:** 10W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø109X32X40(H)MM  
**CUTOUT SIZE:** Ø104X27.5MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 630lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK




**RL 1407**

**LASER BLADE:** 20W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø205X32X40(H)MM  
**CUTOUT SIZE:** Ø200X27.5MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 1260lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK




**RL 1408**

**LASER BLADE:** 8W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø52X52X40(H)MM  
**CUTOUT SIZE:** Ø48X48MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 510lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**RL 1409**

**LASER BLADE:** 16W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø71X71X40(H)MM  
**CUTOUT SIZE:** Ø68X68MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BK



**LED PANEL & DOWNLIGHT**



**RL 6308R**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø95X32(H)MM  
**CUTOUT SIZE:** Ø89MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 6315R**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X32(H)MM  
**CUTOUT SIZE:** Ø139MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 6322R**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X32(H)MM  
**CUTOUT SIZE:** Ø163MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 6308S**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø95X95X32(H)MM  
**CUTOUT SIZE:** Ø89X89MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH





**RL6315S**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X145X32(H)MM  
**CUTOUT SIZE:** Ø139X139MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL6322S**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X170X32(H)MM  
**CUTOUT SIZE:** Ø163X163MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15430R**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø90X17(H)MM  
**CUTOUT SIZE:** Ø74MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15440R**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X17(H)MM  
**CUTOUT SIZE:** Ø125MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15450R**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X17(H)MM  
**CUTOUT SIZE:** Ø150MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15460R**

**DOWN LIGHT SMD:** 30W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø225X17(H)MM  
**CUTOUT SIZE:** Ø204MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15430S**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø90X90X17(H)MM  
**CUTOUT SIZE:** Ø74X74MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15440S**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X145X17(H)MM  
**CUTOUT SIZE:** Ø125X125MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15450S**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X170X17(H)MM  
**CUTOUT SIZE:** Ø150X150MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL15460S**

**DOWN LIGHT SMD:** 30W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø225X225X17(H)MM  
**CUTOUT SIZE:** Ø204X204MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 3000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888R**

**DOWN LIGHT SMD:** 7W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø110X30(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 650lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888R**

**DOWN LIGHT SMD:** 16W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø150X30(H)MM  
**CUTOUT SIZE:** Ø135MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888R**

**DOWN LIGHT SMD:** 24W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø180X30(H)MM  
**CUTOUT SIZE:** Ø165MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888S**

**DOWN LIGHT SMD:** 7W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø110X110X30(H)MM  
**CUTOUT SIZE:** Ø85X85MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 650lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888S**

**DOWN LIGHT SMD:** 16W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø150X150X30(H)MM  
**CUTOUT SIZE:** Ø135X135MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL888S**

**DOWN LIGHT SMD:** 24W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø180X180X30(H)MM  
**CUTOUT SIZE:** Ø165X165MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL37045**

**DOWN LIGHT SMD:** 8W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø80X45(H)MM  
**CUTOUT SIZE:** Ø75MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 550lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL37048**

**DOWN LIGHT SMD:** 12W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø90X48(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 758lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL37053**

**DOWN LIGHT SMD:** 18W  
**LED:** OSRAM  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø100X53(H)MM  
**CUTOUT SIZE:** Ø95MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 1211lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270RD**

**DOWN LIGHT SMD:** 12W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K / CCT  
**DIMENSION:** Ø120X50(H)MM  
**CUTOUT SIZE:** Ø110MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270RD**

**DOWN LIGHT SMD:** 18W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K / CCT  
**DIMENSION:** Ø148X50(H)MM  
**CUTOUT SIZE:** Ø142MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270RD**

**DOWN LIGHT SMD:** 24W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X50(H)MM  
**CUTOUT SIZE:** Ø164MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270SQ**

**DOWN LIGHT SMD:** 12W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø110X110X50(H)MM  
**CUTOUT SIZE:** Ø100X100MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270SQ**

**DOWN LIGHT SMD:** 18W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø142X142X50(H)MM  
**CUTOUT SIZE:** Ø134X134MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL270SQ**

**DOWN LIGHT SMD:** 24W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø165X165X50(H)MM  
**CUTOUT SIZE:** Ø155X155MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**WALL WASHER**



**RL416**

**WALL WASHER COB:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X80(H)MM  
**CUTOUT SIZE:** Ø157MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 80236**

**WALL WASHER COB:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø86X92(H)MM  
**CUTOUT SIZE:** Ø76  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH+BM, BK+BM



**RL1496**

**WALL WASHER COB:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø96X115(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1425lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 1089**

**WALL WASHER COB:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø94X72(H)MM  
**CUTOUT SIZE:** Ø85MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL 1201**

**WALL WASHER COB:** 30W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø180X147(H)MM  
**CUTOUT SIZE:** Ø170MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL1201**

**WALL WASHER COB:** 50W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø180X147(H)MM  
**CUTOUT SIZE:** Ø170MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 4000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL414**

**WALL WASHER COB:** 25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø135x86(H)MM  
**CUTOUT SIZE:** Ø126MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL309**

**LED LAMP COB:** 7W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø50X55(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 560lm  
**IP RATING:** IP20  
**BODY COLOR:** BK



**RL309**

**LED LAMP COB:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø50X75(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP20  
**BODY COLOR:** BK





**SURFACE WALL WASHER**



**RL107B**  
DOWN LIGHT COB: 9W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø50X165(H)MM  
BEAM ANGLE: 24°  
LUMENS OUTPUT: 720lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL140**  
DOWN LIGHT COB: 15W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø100X105(H)MM  
BEAM ANGLE: 38°  
LUMENS OUTPUT: 1200lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL7103**  
DOWN LIGHT COB: 15W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø65X150(H)MM  
BEAM ANGLE: 40°  
LUMENS OUTPUT: 1200lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**SURFACE LIGHT**



**RL11011**  
DOWN LIGHT COB: 5W  
LED: CREE  
LED COLOR: 3K/4K  
DIMENSION: Ø60X20(H)MM  
BEAM ANGLE: 24°  
LUMENS OUTPUT: 400lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL2707**  
DOWN LIGHT COB: 7W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø56X60(H)MM  
BEAM ANGLE: 24°  
LUMENS OUTPUT: 560lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL2712**  
DOWN LIGHT COB: 12W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø68X70(H)MM  
BEAM ANGLE: 36°  
LUMENS OUTPUT: 1000lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL2715**  
DOWN LIGHT COB: 15W  
LED: CREE  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø92X80(H)MM  
BEAM ANGLE: 36°  
LUMENS OUTPUT: 1200lm  
IP RATING: IP20  
BODY COLOR: WH



**RL70183**  
DOWN LIGHT COB: 7W  
LED: BRIDGELUX  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø59X100(H)MM  
BEAM ANGLE: 24°  
LUMENS OUTPUT: 595lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL70183**  
DOWN LIGHT COB: 12W  
LED: BRIDGELUX  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø80X110(H)MM  
BEAM ANGLE: 60°  
LUMENS OUTPUT: 1020lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL70183**  
DOWN LIGHT COB: 18W  
LED: BRIDGELUX  
LED COLOR: 3K/4K/5K/6K  
DIMENSION: Ø100X130(H)MM  
BEAM ANGLE: 60°  
LUMENS OUTPUT: 1530lm  
IP RATING: IP20  
BODY COLOR: WH, BK



**RL2023R**

**DOWN LIGHT COB:** 5W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø55X75(H)MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP20  
**BODY COLOR:** BK+BK, BK+COP



**RL2024**

**DOWN LIGHT COB:** 12W  
**LED:** BRIDGELUX / CREE  
**LED COLOR:** 3000K-6500K  
**DIMENSION:** Ø80X110(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1440lm  
**IP RATING:** IP20  
**BODY COLOR:** BK+BM, BK+COP



**RL2024**

**DOWN LIGHT COB:** 18W  
**LED:** BRIDGELUX / CREE  
**LED COLOR:** 3000K-6500K  
**DIMENSION:** Ø80X150(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2160lm  
**IP RATING:** IP20  
**BODY COLOR:** BK+BM, BK+COP



**RL2024**

**DOWN LIGHT COB:** 30W  
**LED:** BRIDGELUX / CREE  
**LED COLOR:** 3000K-6500K  
**DIMENSION:** Ø80X180(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 3400lm  
**IP RATING:** IP20  
**BODY COLOR:** BK+BM, BK+COP



**RL7105**

**DOWN LIGHT COB:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø95X115(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL161**

**DOWN LIGHT COB:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100X90(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL6021**

**DOWN LIGHT COB:** 8W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø68X63(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 880lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL3003**

**DOWN LIGHT COB:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø55X115(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 765lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL3003**

**DOWN LIGHT COB:** 18W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø75X120(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1530lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL3003**

**DOWN LIGHT COB:** 20W/25W/ 30W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø100X200(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 85lm/w  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK




**RL294**

**DOWN LIGHT COB:** 25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø140X150(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK




**RL4022**

**DOWN LIGHT COB:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K  
**DIMENSION:** Ø82X82X80(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1275lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4022**

**DOWN LIGHT COB:** 40W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K  
**DIMENSION:** Ø120X120X90(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 3400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL526**

**DOWN LIGHT COB:** 30W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø120x120x133(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL199**

**DOWN LIGHT SMD:** 15W  
**LED:** HONGLI  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø100x100(H)MM  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 1150lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL812**

**DOWN LIGHT SMD:** 8W  
**LED:** HONGLI  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø90X65(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 640lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL812**

**DOWN LIGHT SMD:** 12W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø120X65(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL812**

**DOWN LIGHT SMD:** 18W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø140X65(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1280lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL16030R**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø90X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16040R**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16060R**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16080R**

**DOWN LIGHT SMD:** 30W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø225X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 3000lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16030S**

**DOWN LIGHT SMD:** 8W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø90X90X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16040S**

**DOWN LIGHT SMD:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø145X145X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 1500lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL16060S**

**DOWN LIGHT SMD:** 22W  
**LED:** EPISTAR  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø170X170X27(H)MM  
**BEAM ANGLE:** 110°  
**LUMENS OUTPUT:** 2200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**HANGING LIGHT**




**RL23226**

**HANGING LIGHT :** 7W  
**LED:** CREE  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø26X400(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 350lm  
**IP RATING:** IP20  
**BODY COLOR:** BK




**RL43255**

**HANGING LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø55X178(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 850lm  
**IP RATING:** IP20  
**BODY COLOR:** BK




**TRACK LIGHT**



**RL4003**

**TRACK LIGHT:** 12W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø64x118(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4003**

**TRACK LIGHT:** 20W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø78x138(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL4003**

**TRACK LIGHT:** 30W  
**LED:** BRIDGELUX  
**LED COLOR:** 3K/4K/6K  
**DIMENSION:** Ø88x158(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL5425**

**TRACK LIGHT:** 25W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø65x167(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2125lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK





**RL5433**

**TRACK LIGHT:** 33W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø82x182(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 2805lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL5445**

**TRACK LIGHT:** 45W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø99x182(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 3825lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL6045**

**TRACK LIGHT:** 9W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø50x130(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL6046**

**TRACK LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø65x150(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**RL6038**

**TRACK LIGHT:** 20W  
**LED:** CREE  
**LED COLOR:** 3K/4K/5K/6K  
**DIMENSION:** Ø84.5x156(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP20  
**BODY COLOR:** WH, BK



**1MTR/2MTR  
TRACK(2 Line)**

**BODY COLOR:** WH, BK





## 48V MAGNETIC TRACK LIGHT



### RL4020B

**20MM ALUMINIUM MAGNETIC PROFILE**  
**DIMENSION:** Ø1000x72x54.7(H)MM  
**DIMENSION:** Ø2000x72x54.7(H)MM  
**DIMENSION:** Ø3000x72x54.7(H)MM  
**BODY COLOR:** BLACK



### RL4028

**20MM ALUMINIUM CORNER-90°**  
**DIMENSION:** Ø100X100(H)MM  
**BODY COLOR:** BLACK



### RL4055

**20MM SURFACE ALUMINIUM MAGNETIC PROFILE**  
**DIMENSION:** Ø1000x24.6x51(H)MM  
**DIMENSION:** Ø2000x24.6x51(H)MM  
**DIMENSION:** Ø3000x24.6x51(H)MM



### RL4056

**SURFACE KIT**



### RL4057

**20MM SURFACE ALUMINIUM CORNER-90°**  
**BODY COLOR:** BLACK




### RL4057

**HANGING KIT**



### RL4021

**20MM MAGNETIC MODULE : 9W**  
**LED:** LUMINUS  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø50X163(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK



### RL4022

**20MM MAGNETIC MODULE: 9W**  
**LED:** LUMINUS  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø89X113(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK




**RL4023**

**20MM MAGNETIC MODULE: 6W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø112x22x110(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 540lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4023**

**20MM MAGNETIC MODULE: 12W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø220x22x110(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 960lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4023D**

**20MM MAGNETIC MODULE: 6W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø112x22x110(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 540lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4023D**

**20MM MAGNETIC MODULE: 12W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø220x22x110(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 1200lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4024**

**20MM MAGNETIC MODULE: 10W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø300x22x25(H)MM**  
**BEAM ANGLE: 180°**  
**LUMENS OUTPUT: 800lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4024**

**20MM MAGNETIC MODULE: 20W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø600x22x50(H)MM**  
**BEAM ANGLE: 180°**  
**LUMENS OUTPUT: 1600lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4025**

**20MM MAGNETIC MODULE: 6X1W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø113x22x25(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 480lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4025**

**20MM MAGNETIC MODULE: 12X1W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø220x22x50(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 960lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4026**

**20MM MAGNETIC TRACK: 7W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø44X90(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 560lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4026**

**20MM MAGNETIC TRACK: 12W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø50X135(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 960lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4026**

**20MM MAGNETIC TRACK: 20W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø62x147(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 1600lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4029**

**STRAIGHT CONNECTION**  
**BODY COLOR: BLACK**



**RL4029**

**INPUT MODULE**  
**DIMENSION:** Ø17x16x98MM  
**BODY COLOR:** BLACK



**RL4029**

**CORNER MODULE**  
**DIMENSION:** 17x16x98MM  
**BODY COLOR:** WH, BK



**RL4035B**

**35MM ALUMINIUM MAGNETIC PROFILE**  
**DIMENSION:** Ø1000x84x76.9(H)MM  
**DIMENSION:** Ø2000x84x76.9(H)MM  
**DIMENSION:** Ø3000x84x76.9(H)MM  
**BODY COLOR:** BLACK



**RL4041**

**35MM ALUMINIUM CORNER-90°**  
**DIMENSION:** Ø100X100MM  
**BODY COLOR:** BLACK



**RL4065**

**35MM ALUMINIUM MAGNETIC PROFILE**  
**DIMENSION:** Ø1000x38x79.3(H)MM  
**DIMENSION:** Ø2000x38x79.3(H)MM  
**DIMENSION:** Ø3000x38x79.3(H)MM  
**BODY COLOR:** BLACK



**RL4065L**

**35MM SURFACE ALUMINIUM CORNER-90°**  
**BODY COLOR:** BLACK



**RL4036**

**35MM MAGNETIC MODULE: 12W**  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø300x34x50.5(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK



**RL4036**

**35MM MAGNETIC MODULE: 20W**  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø600x34x50.5(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK



**RL4036**

**35MM MAGNETIC MODULE: 40W**  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø1200x34x50.5(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 3200lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK



**RL4037**

**35MM MAGNETIC MODULE: 5X2W**  
**LED:** OSRAM  
**LED COLOR:** 3K/4K  
**DIMENSION:** Ø135x34x50.5(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP20  
**BODY COLOR:** BLACK





**RL4037**

**35MM MAGNETIC MODULE: 10X2W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø270x34x50.5(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 1600lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4038**

**35MM MAGNETIC MODULE: 4X2W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø173.5x34x58.6(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 640lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4027**

**35MM MAGNETIC TRACK: 7W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø44x90(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 560lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4039**

**35MM MAGNETIC TRACK: 12W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø50x135(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 960lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4039**

**35MM MAGNETIC TRACK: 20W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø62x147(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 1600lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**




**RL4039**

**35MM MAGNETIC TRACK: 30W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø74.7x160(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 2400lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4042**

**35MM MAGNETIC MODULE: 9W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø50x163(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 720lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4043**

**35MM MAGNETIC MODULE: 9W**  
**LED: LUMINUS**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø89x113(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 720lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4044**

**35MM MAGNETIC MODULE: 5X2W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø137x35x95(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 800lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**



**RL4044**

**35MM MAGNETIC MODULE: 10X2W**  
**LED: OSRAM**  
**LED COLOR: 3K/4K**  
**DIMENSION: Ø270x35x95(H)MM**  
**BEAM ANGLE: 24°**  
**LUMENS OUTPUT: 1600lm**  
**IP RATING: IP20**  
**BODY COLOR: BLACK**





**LED STRIP LIGHT**

SR. NO	MODEL NO.	SPECIFICATION	WATTAGE	SIZE	COLOR TEMP.
12V DC INDOOR					
1	RL2835-60 LED	2835-60 LED 0.1W LED	6W	10mm	WH, WW, NW, BL, RD, GR, AMBER
2	RL2835-240LED	2835-240 LED 0.1W LED	21W	10mm	WH, WW, NW
3	RL5050-60 LED	5050-60 LED 0.25W LED	15W	10mm	WH, WW, NW, BL
12V DC OUTDOOR					
4	RL5050-60LED-IP 68	5050-60 LED 0.25W LED	15W	10mm	WW

**TECHNICAL PARAMETERS**



Working temperature	-20-600C	Working voltage	3V (AAA*2PCS)
Sleep current	<25uA	Emission current	<30mA
Sleep power consumption	<75uW	Emission power consumption	<90mW
Net weight	55g	Dimension	L148*W40*38 (mm)
RF distance	≤30m	RF frequency	2.4GHZ
Accessories	Remote control rack, 3M foam sponge glue, M4 double-headed self-tapping screws, 6 expansion tube, battery, manual		


**DIRECTION FOR USE**



Name of key	Description
ON	ON in any time
OFF	OFF in any time
Mode	3 static modes: warm white, cool white, pure white
Brightness +	The brightness will add 1 level after each time press. Long-press can get fast adjusting.
Brightness -	The brightness will reduce 1 level after each time press. Long-press can get fast adjusting.
CW balance key	Balance to cool white. Long-press can get fast adjusting.
WW balance key	Balance to warm white. Long-press can get fast adjusting.
Zone selection key	Selection for the control zone (The corresponding zone indicator will light up when selected, support single zone control and overall control)



12V POWER SUPPLY - NON WATERPROOF				
SR.NO	MODEL NO.	SPECIFICATION	WATTAGE	VOLTAGE
1	RL6602	5 AMP	60W	12VDC
2	RL6602	8.3 AMP	100W	12DC
3	RL6602	10 AMP	120W	12VDC
4	RL6602	12.5 AMP	150W	12VDC
5	RL6602	25 AMP	300W	12VDC



24V POWER SUPPLY - NON WATERPROOF				
SR.NO	MODEL NO	SPECIFICATION	WATTAGE	OUTPUT VOLTAGE
1	RL6603	2.5 AMP	60W	24V
2	RL6603	5 AMP	120W	24V
3	RL6603	12.5 AMP	300W	24V




FACECUT DIMMABLE DRIVER				
SR.NO	WATTAGE	MODEL NO	OUTPUT CURRENT	SPECIFICATION
1	6w	ALD06-40015	150mA	DC 8-40V MAX50V
2	8w	ALD08-40022	200mA	DC 8-40V MAX50V
3	12w	ALD12-43025	300mA	DC 8-40V MAX50V
4	15w	ALD15-4035	350mA	DC 8-40V MAX50V
5	20w	ALD18-40050	500mA	DC 8-40V MAX50V




0-10 DIMMABLE DRIVER				
SR.NO	WATTAGE	MODEL NO	OUTPUT CURRENT	SPECIFICATION
1	12w	ALW12-43025	300mA	DC 30-40V MAX50V
2	15w	ALW15-40035	350mA	DC 30-40V MAX50V



DALI DIMMABLE DRIVER				
SR.NO	WATTAGE	MODEL NO	OUTPUT CURRENT	SPECIFICATION
1	8-15W	ALD08-43022DA	200-350MA	DC 20-43V MAX50V
2	18-26W	ALD15-43038DA	550-700MA	DC 20-43V MAX50V



48V SMPS			
SR.NO	WATTAGE	MODEL NO	OUTPUT VOLTAGE
1	100W	LRS100	48V
2	150W	LRS150	48V



48V FACECUT DIMMABLE			
SR.NO	WATTAGE	MODEL NO	OUTPUT VOLTAGE
1	100W	RLO63	48V
2	150W	RLO63	48V

# OUTDOOR



## LED WALL & BOLLARD LIGHT



### RL2801

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x200(H)MM  
**BEAM ANGLE:** 44°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL2801

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x400(H)MM  
**BEAM ANGLE:** 44°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL2801

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x600(H)MM  
**BEAM ANGLE:** 44°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL2802

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x200(H)MM  
**BEAM ANGLE:** 41°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL8347

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x600(H)MM  
**BEAM ANGLE:** 41°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL1903

**LED SOLAR WALL LIGHT:** 5W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x140x290(H)MM  
**BEAM ANGLE:** 91°  
**LUMENS OUTPUT:** 350lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL1904

**LED SOLAR BOLLARD LIGHT:** 5W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x140x500(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 350lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



### RL203-600

**BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø108x600(H)MM  
**BEAM ANGLE:** 87°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY





**RL0225**

**LED BOLLARD LIGHT:** 10W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø57x163x250(H)MM  
**BEAM ANGLE:** 92°  
**LUMENS OUTPUT:** 695lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0260**

**LED BOLLARD LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø57x163x600(H)MM  
**BEAM ANGLE:** 92°  
**LUMENS OUTPUT:** 695lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1901**

**LED WALL LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x54x168(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 433lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1902-300**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x54x300(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 433lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1902-650**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x54x650(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 433lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1821**

**LED WALL LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø135x90x140(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 521lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1822-500**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø198x120x500(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 521lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1822-900**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø198x120x900(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 521lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1891**

**LED WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x140(H)MM  
**BEAM ANGLE:** 55°  
**LUMENS OUTPUT:** 477lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1892-450**

**LED BOLLARD LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x450(H)MM  
**BEAM ANGLE:** 55°  
**LUMENS OUTPUT:** 477lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1892-650**

**LED BOLLARD LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x650(H)MM  
**BEAM ANGLE:** 55°  
**LUMENS OUTPUT:** 477lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1982-450**

**LED BOLLARD LIGHT:** 3x6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø120x450(H)MM  
**BEAM ANGLE:** 43°  
**LUMENS OUTPUT:** 1018lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1982-650**

**LED BOLLARD LIGHT:** 3X6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø120x650(H)MM  
**BEAM ANGLE:** 43°  
**LUMENS OUTPUT:** 1018lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2052**

**LED WALL LIGHT:** 8W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x70x200(H)MM  
**BEAM ANGLE:** 113°  
**LUMENS OUTPUT:** 709lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2054-500**

**LED BOLLARD LIGHT:** 8W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x74x500(H)MM  
**BEAM ANGLE:** 113°  
**LUMENS OUTPUT:** 709lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2055-900**

**LED BOLLARD LIGHT:** 16W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x108x900(H)MM  
**BEAM ANGLE:** 113°  
**LUMENS OUTPUT:** 1418lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2061**

**LED WALL LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø151x188x89(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 615lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2062-500**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø151x248x500(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 615lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2062-900**

**LED BOLLARD LIGHT:** 6W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø151x248x900(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 615lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2091-1250**

**LED BOLLARD LIGHT:** 18W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x1250(H)MM  
**BEAM ANGLE:** 354°  
**LUMENS OUTPUT:** 1070lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2091-2000**

**LED BOLLARD LIGHT:** 27W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x2000(H)MM  
**BEAM ANGLE:** 354°  
**LUMENS OUTPUT:** 1600lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2322**

**LED WALL LIGHT:** 7W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø113x47x152(H)MM  
**BEAM ANGLE:** 107°  
**LUMENS OUTPUT:** 493lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2323-500**

**LED BOLLARD LIGHT:** 7W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø113x47x500(H)MM  
**BEAM ANGLE:** 107°  
**LUMENS OUTPUT:** 493lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2323-750**

**LED BOLLARD LIGHT:** 7W  
**LED:** EVERLIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø113x47x750(H)MM  
**BEAM ANGLE:** 107°  
**LUMENS OUTPUT:** 493lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2371**

**LED WALL LIGHT: 9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø176x118x212(H)MM**  
**BEAM ANGLE: 108°**  
**LUMENS OUTPUT: 833lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL2372-500**

**LED BOLLARD LIGHT: 9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø176x118x500(H)MM**  
**BEAM ANGLE: 108°**  
**LUMENS OUTPUT: 833lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL2372-900**

**LED BOLLARD LIGHT: 9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø176x118x900(H)MM**  
**BEAM ANGLE: 108°**  
**LUMENS OUTPUT: 833lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL9395**

**LED WALL LIGHT: 4W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø65x100x300(H)MM**  
**BEAM ANGLE: 110°**  
**LUMENS OUTPUT: 88lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL9396-400**

**LED BOLLARD LIGHT: 5W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø65x400(H)MM**  
**BEAM ANGLE: 110°**  
**LUMENS OUTPUT: 133lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL9397-750**

**LED BOLLARD LIGHT: 10W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø65x750(H)MM**  
**BEAM ANGLE: 110°**  
**LUMENS OUTPUT: 189lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL1791**

**LED WALL LIGHT: 9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø280x196x335(H)MM**  
**BEAM ANGLE: 146°**  
**LUMENS OUTPUT: 1088lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL1792-1000**

**LED BOLLARD LIGHT: 9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø295x196x1000(H)MM**  
**BEAM ANGLE: 146°**  
**LUMENS OUTPUT: 1088lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL1792-2300**

**LED BOLLARD LIGHT: 2X9W**  
**LED: EVERLIGHT**  
**LED COLOR: 3000K**  
**DIMENSION: Ø575x196x2300(H)MM**  
**BEAM ANGLE: 146°**  
**LUMENS OUTPUT: 2176lm**  
**IP RATING: IP54**  
**BODY COLOR: DARK GREY**



**RL5566-250**

**LED BOLLARD LIGHT: 16W**  
**LED: OSRAM**  
**LED COLOR: 3000K**  
**DIMENSION: Ø150x250(H)MM**  
**BEAM ANGLE: 360°**  
**LUMENS OUTPUT: 1935lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL5566-450**

**LED BOLLARD LIGHT: 16W**  
**LED: OSRAM**  
**LED COLOR: 3000K**  
**DIMENSION: Ø150x450(H)MM**  
**BEAM ANGLE: 360°**  
**LUMENS OUTPUT: 1935lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL5566-650**

**LED BOLLARD LIGHT: 16W**  
**LED: OSRAM**  
**LED COLOR: 3000K**  
**DIMENSION: Ø150x650(H)MM**  
**BEAM ANGLE: 360°**  
**LUMENS OUTPUT: 1935lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL5577-450**

**LED BOLLARD LIGHT:** 16W  
**LED:** OSRAM  
**LED COLOR:** 3000K  
**DIMENSION:** Ø150x450(H)MM  
**BEAM ANGLE:** 104°  
**LUMENS OUTPUT:** 1935lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL5577-650**

**LED BOLLARD LIGHT:** 16W  
**LED:** OSRAM  
**LED COLOR:** 3000K  
**DIMENSION:** Ø150x650(H)MM  
**BEAM ANGLE:** 104°  
**LUMENS OUTPUT:** 1935lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**LED POST LIGHT**



**RL2275**

**LAMP POST LIGHT**  
**POWER:** 20 | 30 | 48 | 60 | 100 W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K/4000K/6000K  
**DIMENSION:** Ø500MM  
**IP RATING:** IP65  
**LUMENS:** 110/120lm/w  
**PIPE DIA:** 75MM  
**BODY COLOR:** GREY



**RL2277**

**LAMP POST LIGHT**  
**POWER:** 20 | 30 | 48 | 60 W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K/4000K/6000K  
**DIMENSION:** Ø300/400/500/750MM  
**IP RATING:** IP65  
**LUMENS:** 110/120lm/w  
**PIPE DIA:** 50/75/100MM  
**BODY COLOR:** GREY



**RL2279**

**LED POLE LIGHT**  
**POWER:** 20 | 30 | 48 | 60 | 100 W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K/4000K/6000K  
**LENGTH:** 6" to 144"  
**IP RATING:** IP65  
**LUMENS:** 110/120lm/w  
**PIPE DIA:** 75/100MM  
**BODY COLOR:** DARK GREY



**RL2280**

**LED POLE LIGHT**  
**POWER:** 20 | 30 | 48 | 60 | 100 W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K/4000K/6000K  
**LENGTH:** 6" to 144"  
**IP RATING:** IP65  
**LUMENS:** 110/120lm/w  
**PIPE DIA:** 75/100MM  
**BODY COLOR:** DARK GREY



**GATE & BOLLARD LIGHT**



**RL3622**

**GATE LIGHT**  
**LAMP SOURCE:** E27 CFL  
**DIMENSION:** Ø200(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL3665**

**BOLLARD LIGHT**  
**LAMP SOURCE:** E27 CFL  
**DIMENSION:** Ø750(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY





**RL2622**

**GATE LIGHT**  
**LAMP SOURCE:** E27 CFL  
**DIMENSION:** Ø200(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2665**

**BOLLARD LIGHT**  
**LAMP SOURCE:** E27 CFL  
**DIMENSION:** Ø750(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL6622**

**GATE LIGHT**  
**LAMP SOURCE:** B22 CFL  
**DIMENSION:** Ø180x390(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** BLACK



**RL6623**

**WALL LIGHT**  
**LAMP SOURCE:** B22 CFL  
**DIMENSION:** Ø180x380(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** BLACK



**RL6633**

**GATE LIGHT**  
**LAMP SOURCE:** B22 CFL  
**DIMENSION:** Ø220x385(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** BLACK




**RL6644**

**WALL LIGHT**  
**LAMP SOURCE:** B22 CFL  
**DIMENSION:** Ø220x385(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** BLACK



**LED FOOT LIGHT**



**RL220**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø55x42(H)MM  
**CUTOUT:** Ø40mm  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 180lm  
**IP RATING:** IP65  
**BODY COLOR:** WH



**RL223**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø55x55x42(H)MM  
**CUTOUT:** Ø40mm  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 180lm  
**IP RATING:** IP65  
**BODY COLOR:** WH



**RL18070**

**LED FOOT LIGHT:** 3W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø45x65(H)MM  
**CUTOUT:** Ø43mm  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 165lm  
**IP RATING:** IP54  
**BODY COLOR:** WH




**RL18077**

**LED FOOT LIGHT:** 3W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø75x35x65(H)MM  
**CUTOUT:** Ø69x29mm  
**BEAM ANGLE:** 15°  
**LUMENS OUTPUT:** 165lm  
**IP RATING:** IP54  
**BODY COLOR:** WH




**RL224**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø95x60(H)MM  
**BEAM ANGLE:** 10°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP54  
**BODY COLOR:** GRAPHITE GREY



**RL225**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø95x95x60(H)MM  
**BEAM ANGLE:** 10°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP54  
**BODY COLOR:** GRAPHITE GREY



**RL226**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø84x84x45(H)MM  
**BEAM ANGLE:** 75°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP54  
**BODY COLOR:** GRAPHITE GREY



**RL030**

**LED FOOT LIGHT:** 4W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø105x60x50(H)MM  
**CUTOUT:** Ø105x60x50(H)MM  
**BEAM ANGLE:** 80°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL034**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x45(H)MM  
**BEAM ANGLE:** 31°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL033**

**LED FOOT LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø54x80x213(H)MM  
**CUTOUT:** Ø49x78x195(H)MM  
**BEAM ANGLE:** 10°  
**LUMENS OUTPUT:** 240lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL0503**

**LED FOOT LIGHT:** 3W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø74x106x45(H)MM  
**CUTOUT:** Ø72x104(H)MM  
**BEAM ANGLE:** 70°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0603**

**LED FOOT LIGHT:** 3W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø106x74x45(H)MM  
**CUTOUT:** Ø104x72(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0909**

**LED FOOT LIGHT:** 2W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø114x114x65(H)MM  
**CUTOUT:** Ø110x110x60(H)MM  
**BEAM ANGLE:** 300°  
**LUMENS OUTPUT:** 160lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY




**RL0909**

**LED FOOT LIGHT:** 4W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø114x170x65(H)MM  
**CUTOUT:** Ø110x165mm  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 320lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0909**

**LED FOOT LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø114x226x65(H)MM  
**CUTOUT:** Ø110x221mm  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1612**

**LED FOOT LIGHT:** 2W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø150x27(H)MM  
**BEAM ANGLE:** 55°  
**LUMENS OUTPUT:** 55lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY




**RL1812**

**LED FOOT LIGHT:** 2W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø124x124x27(H)MM  
**BEAM ANGLE:** 55°  
**LUMENS OUTPUT:** 55lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY




**RL2102**

**LED FOOT LIGHT:** 4W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø60x90(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 320lm  
**IP RATING:** IP54  
**BODY COLOR:** GRAPHITE GREY



**RL2104**

**LED FOOT LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø150x70(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 640lm  
**IP RATING:** IP54  
**BODY COLOR:** GRAPHITE GREY



**RL10**

**LED FOOT LIGHT:** 9W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x160x25(H)MM  
**BEAM ANGLE:** 77°  
**LUMENS OUTPUT:** 900lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL12**

**LED FOOT LIGHT:** 9W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x25(H)MM  
**BEAM ANGLE:** 77°  
**LUMENS OUTPUT:** 900lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**LED WALL LIGHT**



**RL801**

**SURFACE WALL LIGHT:** 2X6W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø115x90x28(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL802**

**SURFACE WALL LIGHT:** 2X8W  
**LED:** EDISON  
**LED COLOR:** 3000K  
**DIMENSION:** Ø175x90x28(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 750lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1123**

**LED WALL LIGHT:** 10W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø61x96x185(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 750lm  
**IP RATING:** IP20  
**BODY COLOR:** GREY



**RL3305**

**LED WALL LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø245x100x45(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 500lm  
**IP RATING:** IP54  
**BODY COLOR:** BK



**RL2503**

**LED WALL LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x75(H)MM  
**BEAM ANGLE:** 86°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2506**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x140(H)MM  
**BEAM ANGLE:** 86°  
**LUMENS OUTPUT:** 420lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1506**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x205x93(H)MM  
**BEAM ANGLE:** 15°/78°  
**LUMENS OUTPUT:** 420lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL279**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø43x60x120(H)MM  
**BEAM ANGLE:** 6°  
**LUMENS OUTPUT:** 420lm  
**IP RATING:** IP54  
**BODY COLOR:** BLACK



**RL1281B**

**LED WALL LIGHT:** 1x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø78x50x80(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 121lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1282B**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø78x50x150(H)MM  
**BEAM ANGLE:** 16°/85°  
**LUMENS OUTPUT:** 162lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL403**

**LED WALL LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø85x70x80(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL404**

**LED WALL LIGHT:** 2x5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x68.5x150(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL301**

**LED WALL LIGHT:** 2x5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80.4x68.5x150(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL302**

**LED WALL LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø68x68x92(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL3001**

**LED WALL LIGHT:** 5W  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x65x95(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL3001**

**LED WALL LIGHT:** 2X5  
**LED:** BRIDGELUX  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x65x110(H)MM  
**BEAM ANGLE:** 40°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL2512**


**LED WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x90x138(H)MM  
**BEAM ANGLE:** 46°  
**LUMENS OUTPUT:** 871lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY





**RL2012/RD**

**SURFACE WALL LIGHT:** 4x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x100mm(H)MM  
**BEAM ANGLE:** 30°  
**LUMENS OUTPUT:** 760lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2012 SQ**

**LED WALL LIGHT:** 4x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x100(H)MM  
**BEAM ANGLE:** 11°  
**LUMENS OUTPUT:** 760lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2906**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø102x100(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL2912**

**LED WALL LIGHT:** 4x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø102x100(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP54  
**BODY COLOR:** WH, BK



**RL4406**

**LED WALL LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x50(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL4412**

**LED WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x50(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 960lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL6506**

**LED WALL LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø85x83(H)MM  
**BEAM ANGLE:** 85°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL1571**

**LED WALL LIGHT:** 4W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø140x140x65(H)MM  
**BEAM ANGLE:** 126°  
**LUMENS OUTPUT:** 278lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1861**

**LED WALL LIGHT:** 3x1W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø131x102x66(H)MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 223lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2601**

**LED WALL LIGHT:** 6W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x62(H)MM  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 632lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL902**

**LED WALL LIGHT:** 2x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x100x100(H)MM  
**BEAM ANGLE:** 92°  
**LUMENS OUTPUT:** 480lm  
**IP RATING:** IP54  
**BODY COLOR:** BK



**RL920**

**LED WALL LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x108x62(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 600lm  
**IP RATING:** IP20  
**BODY COLOR:** WH



**RL930**

**LED WALL LIGHT:** 9W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø173x81x46(H)MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 675lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL940**

**LED WALL LIGHT:** 12W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø160x108x130(H)MM  
**BEAM ANGLE:** 142°  
**LUMENS OUTPUT:** 840lm  
**IP RATING:** IP65  
**BODY COLOR:** WH, BK



**RL2101**

**LED WALL LIGHT:** 9W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø260x96.5x139(H)MM  
**BEAM ANGLE:** 116°  
**LUMENS OUTPUT:** 943lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2341**

**LED WALL LIGHT:** 11W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø220x128x35(H)MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 668lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY




**RL2551**

**LED WALL LIGHT:** 10W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø130x168x154(H)MM  
**BEAM ANGLE:** 115°  
**LUMENS OUTPUT:** 946lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2571**

**LED WALL LIGHT:** 10W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø240x48(H)MM  
**BEAM ANGLE:** 360°  
**LUMENS OUTPUT:** 567lm  
**IP RATING:** IP65  
**BODY COLOR:** WH



**RL2271**

**LED WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø161x48x180(H)MM  
**BEAM ANGLE:** 271°  
**LUMENS OUTPUT:** 461lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL2381**

**LED WALL LIGHT:** 10W  
**LED:** EVER LIGHT  
**LED COLOR:** 3000K  
**DIMENSION:** Ø185x156x45(H)MM  
**BEAM ANGLE:** 86°  
**LUMENS OUTPUT:** 820lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL1991**

**LED WALL LIGHT:** 2x6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x60x260(H)MM  
**BEAM ANGLE:** 90°  
**LUMENS OUTPUT:** 894lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1741**

**LED WALL LIGHT:** 3X3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø129x143x140(H)MM  
**BEAM ANGLE:** 26°  
**LUMENS OUTPUT:** 692lm  
**IP RATING:** IP54  
**BODY COLOR:** DARK GREY



**RL3705R**

**LED WALL LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø80x108(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP54  
**BODY COLOR:** BK



**RL3705S**

**LED WALL LIGHT:** 5W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø82x82x108(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 400lm  
**IP RATING:** IP54  
**BODY COLOR:** BK



**RL0461**

**SURFACE BULKHEAD LIGHT:** 12W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x230x76(H)MM  
**BEAM ANGLE:** 117°  
**LUMENS OUTPUT:** 900lm  
**IP RATING:** IP54  
**BODY COLOR:** GREY, BK



**RL0140**

**SURFACE BULKHEAD LIGHT:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø201x101x68(H)MM  
**BEAM ANGLE:** 126°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP54  
**BODY COLOR:** WH, BK



**LED CEILING LIGHT**



**RL1320R**

**LED CEILING LIGHT:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø200x50(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP65  
**BODY COLOR:** WH



**RL1320S**

**LED CEILING LIGHT:** 15W  
**LED:** EPISTAR  
**LED COLOR:** 3000K  
**DIMENSION:** Ø200x200x50(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP65  
**BODY COLOR:** WH



**RL2272**

**LED CEILING LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø58x14(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP65  
**BODY COLOR:** BK



**RL2808R**

**LED CEILING LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3000K/4000K  
**DIMENSION:** Ø90x46(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 800lm  
**IP RATING:** IP54  
**BODY COLOR:** WH, BK



**RL2814R**

**LED CEILING LIGHT:** 14W  
**LED:** CREE  
**LED COLOR:** 3000K/4000K  
**DIMENSION:** Ø140x46(H)MM  
**BEAM ANGLE:** 180°  
**LUMENS OUTPUT:** 1400lm  
**IP RATING:** IP54  
**BODY COLOR:** WH, BK



**RL2508**

**CEILING LIGHT:** GU-10  
**DIMENSION:** Ø62x92(H)MM  
**IP RATING:** IP54  
**BODY COLOR:** GREY



**RL2514R**

**LED CEILING LIGHT:** 14W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x136(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1190lm  
**IP RATING:** IP65  
**BODY COLOR:** BK



**RL2514S**

**LED CEILING LIGHT:** 14W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø90x90x136(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1190lm  
**IP RATING:** IP65  
**BODY COLOR:** BK



**RL2521R**

**LED CEILING LIGHT:** 21W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø145x140(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1785lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**LED SPIKE & WALL LIGHT**



**RL0106**

**SPIKE/WALL LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø88x63(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 510lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0112**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø111x83(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1407**

**SPIKE/WALL LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø35x105(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 540lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1407**

**SPIKE/WALL LIGHT:** 8W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø60x147(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 720lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1407**

**SPIKE/WALL LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø82x195(H)MM  
**BEAM ANGLE:** 24°  
**LUMENS OUTPUT:** 1350lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY




**RL1406**

**SPIKE/WALL LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø55x130(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 510lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL1742**

**SPIKE/WALL LIGHT:** 3x3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø129x140x317(H)MM  
**BEAM ANGLE:** 26°  
**LUMENS OUTPUT:** 692lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY




**RL1951**

**SPIKE/WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø150x76x315(H)MM  
**BEAM ANGLE:** 23°  
**LUMENS OUTPUT:** 433lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2202**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø92x348(H)MM  
**BEAM ANGLE:** 23°  
**LUMENS OUTPUT:** 864lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL2484**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø88x153x315(H)MM  
**BEAM ANGLE:** 13°  
**LUMENS OUTPUT:** 10774lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY





**RL1852**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø114x207x384(H)MM  
**BEAM ANGLE:** 42°  
**LUMENS OUTPUT:** 919lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL0206**

**SPIKE/WALL LIGHT:** 15W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø100x100x200(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 1200lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1203**

**SPIKE/WALL LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø45x66(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1207**

**SPIKE/WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø66x100(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 520lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1212**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø66x100(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1050lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1204**

**SPIKE/WALL LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø45x66(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1208**

**SPIKE/WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø66x100(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 520lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1213**

**SPIKE/WALL LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø66x100(H)MM  
**BEAM ANGLE:** 28°  
**LUMENS OUTPUT:** 1050lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1217**

**SPIKE/WALL LIGHT:** 7W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø66x100(H)MM  
**BEAM ANGLE:** 36°  
**LUMENS OUTPUT:** 560lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL1307**

**SPIKE/WALL LIGHT:** Max 20W  
**LIGHT SOURCE:** (GU-10)  
**DIMENSION:** Ø66x100(H)MM  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL3003-J**

**PILLAR HIGH LIGHTER:** 15W  
**LED:** CREE  
**LED COLOR:** 3000K  
**BEAM ANGLE:** 10°  
**LUMENS OUTPUT:** 120lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY





**INGROUND & PATH WASHER LIGHT**



**RL0303**  
**INGROUND LIGHT:** 3W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø45x75(H)MM  
**CUTOUT:** Ø40x70(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 300lm  
**IP RATING:** IP67



**RL0306**  
**INGROUND LIGHT:** 6W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø85x97(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 510lm  
**IP RATING:** IP65



**RL0312**  
**INGROUND LIGHT:** 12W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø110x105(H)MM  
**BEAM ANGLE:** 38°  
**LUMENS OUTPUT:** 1020lm  
**IP RATING:** IP65



**RL7205**  
**INGROUND LIGHT:** 1X2W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø84X90(H)MM  
**BEAM ANGLE:** 105°  
**LUMENS OUTPUT:** 70lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL7206**  
**INGROUND LIGHT:** 2x1W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø84X90(H)MM  
**BEAM ANGLE:** 105°  
**LUMENS OUTPUT:** 140lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL7207**  
**INGROUND LIGHT:** 3x1W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø84X90(H)MM  
**BEAM ANGLE:** 105°  
**LUMENS OUTPUT:** 210lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY



**RL7208**  
**INGROUND LIGHT:** 4x1W  
**LED:** CREE  
**LED COLOR:** 3000K  
**DIMENSION:** Ø84X90(H)MM  
**BEAM ANGLE:** 105°  
**LUMENS OUTPUT:** 280lm  
**IP RATING:** IP65  
**BODY COLOR:** DARK GREY







**UNDER WATER LIGHT**



**RL0315**

**UNDERWATER RECESSED: 3W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø100X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 270lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0318**

**UNDERWATER RECESSED: 6W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø100X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 540lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0321**

**UNDERWATER RECESSED: 9W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø140X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 810lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0324**

**UNDERWATER RECESSED: 12W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø140X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1080lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0327**

**UNDERWATER SURFACE : 3W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø75X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 270lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0330**

**UNDERWATER SURFACE : 6W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø75X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 540lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0333**

**UNDERWATER SURFACE: 9W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø110X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 810lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0336**

**UNDERWATER SURFACE: 12W**  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø110X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1080lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH




**RL0339**

**UNDERWATER STAND:** 3W  
**LED:** EPISTAR  
**LED COLOR:** WW,GR,BL  
**INPUT:** 12VDC  
**DIMENSION:** Ø75X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 270lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0342**

**UNDERWATER STAND:** 6W  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø75X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 540lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0345**

**UNDERWATER STAND:** 9W  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø110X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 810lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**RL0348**

**UNDERWATER STAND:** 12W  
**LED:** EPISTAR  
**INPUT:** 12VDC  
**LED COLOR:** WW,GR,BL  
**DIMENSION:** Ø110X23(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 1080lm  
**IP RATING:** IP68  
**BODY COLOR:** SS FINISH



**WALL WASHER**



**RL7233**

**LED WALL WASHER:** 18W  
**LED:** OSRAM  
**LED COLOR:** 3000K  
**DIMENSION:** Ø500x40x83(H)MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 1530lm  
**IP RATING:** IP66  
**BODY COLOR:** GREY



**RL7244**

**LED WALL WASHER:** 36W  
**LED:** OSRAM  
**LED COLOR:** 3000K  
**DIMENSION:** Ø1000x40x83(H)MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 3060lm  
**IP RATING:** IP66  
**BODY COLOR:** GREY



**RL7255**

**LED WALL WASHER:** 36W  
**LED:** OSRAM  
**LED COLOR:** RGB  
**DIMENSION:** Ø1000x40x83(H)MM  
**BEAM ANGLE:** 25°  
**LUMENS OUTPUT:** 3060lm  
**IP RATING:** IP66  
**BODY COLOR:** GREY



**FLOOD LIGHT**



**RL002**

**SMD FLOOD LIGHT:** 20W  
**LED:** SAMSUNG  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø183x150x37(H)MM  
**BEAM ANGLE:** 60°  
**LUMENS OUTPUT:** 2400lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL222**

**SMD FLOOD LIGHT:** 50W  
**LED:** OSRAM  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø245x205x70(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 6000lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL222**

**SMD FLOOD LIGHT:** 100W  
**LED:** OSRAM  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø290x235x85(H)MM  
**BEAM ANGLE:** 120°  
**LUMENS OUTPUT:** 12000lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY





**RL222**

**SMD FLOOD LIGHT: 150W**  
**LED: OSRAM**  
**LED COLOR: 3000K/6500K**  
**DIMENSION: Ø395x315x95(H)MM**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 21000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL222**

**SMD FLOOD LIGHT: 200W**  
**LED: OSRAM**  
**LED COLOR: 3000K/6500K**  
**DIMENSION: Ø395x315x95(H)MM**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 28000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL222**

**SMD FLOOD LIGHT: 300W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**DIMENSION: Ø493x345x71(H)MM**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 42000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL222**

**SMD FLOOD LIGHT: 400W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**DIMENSION: Ø530x340x65(H)MM**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 56000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL4405**

**LED SMD Highbay Light: 100W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**DIMENSION: Ø290MM**  
**BEAM ANGLE: 90°**  
**LUMENS OUTPUT: 14000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL4405**

**LED SMD Highbay Light: 150W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**DIMENSION: Ø350MM**  
**BEAM ANGLE: 90°**  
**LUMENS OUTPUT: 14000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL4405**

**LED SMD Highbay Light: 200W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**DIMENSION: Ø350MM**  
**BEAM ANGLE: 90°**  
**LUMENS OUTPUT: 21000lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL5505**

**LED SMD Highbay Light: 50W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 7000lm**  
**IP RATING: IP65**  
**BODY COLOR: BLACK**



**RL5505**

**LED SMD Highbay Light: 100W**  
**LED: OSRAM**  
**LED COLOR: 6500K**  
**BEAM ANGLE: 120°**  
**LUMENS OUTPUT: 14000lm**  
**IP RATING: IP65**  
**BODY COLOR: BLACK**



**STREET LIGHT**



**RL999**

**STREET LIGHT SMD: 24W**  
**LED: EPISTAR**  
**LED COLOR: 3000K/6500K**  
**DIMENSION: Ø290x122x65(H)MM**  
**BEAM ANGLE: 100°**  
**LUMENS OUTPUT: 3120lm**  
**IP RATING: IP65**  
**BODY COLOR: GREY**



**RL999**

**STREET LIGHT SMD:** 36W  
**LED:** EPISTAR  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø320x130x65(H)MM  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 4680lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL999**

**STREET LIGHT SMD:** 50W  
**LED:** EPISTAR  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø385x153x170(H)MM  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 6500lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL999**

**STREET LIGHT SMD:** 100W  
**LED:** EPISTAR  
**LED COLOR:** 3000K/6500K  
**DIMENSION:** Ø440x103x185(H)MM  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 13000lm  
**IP RATING:** IP65  
**BODY COLOR:** GREY



**RL999**

**SOLAR STREET LIGHT SMD:** 50W  
**LED:** EPISTAR  
**LED COLOR:** 6500K  
**BEAM ANGLE:** 100°  
**LUMENS OUTPUT:** 4750lm  
**IP RATING:** IP65  
**BODY COLOR:** WHITE





**Distributor**

 **RANGE-LITE**<sup>®</sup>  
Original

Email: [sales@rangelite.in](mailto:sales@rangelite.in) | [shreevinayakelectricals9@gmail.com](mailto:shreevinayakelectricals9@gmail.com)

Website: [www.rangelite.in](http://www.rangelite.in)

  [rangeliteindia](#)



Scan this QR-Code  
for more details